

Ni-MH Battery Pack

SAFETY DATA SHEET

SDS0090UK

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 2015/830

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	Ni-MH Battery Pack.
Trade Name	SCORP50-XXX, SOLO760-XXX, SOLO770-XXX, TRUTEST (XXX denotes customer variant).
CAS No.	Article.
EINECS No.	Article.
REACH Registration No.	None assigned.
1.2 Relevant identified uses of the substance or mixture and uses advised against	
Identified Use(s)	Battery product.
Uses Advised Against	None known.
1.3 Details of the supplier of the safety data sheet	
Company Identification	Detectortesters (No Climb Products Ltd), Edison House, 163 Dixons Hill Road Welham Green Hertfordshire, AL9 7JE. United Kingdom.
Telephone	+44 (0) 1707 282760
Fax	+44 (0) 1707 282777
E-mail	SDS@detectortesters.com
1.4 Emergency telephone number	
Emergency Phone No.	+44 (0) 1707 282760

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture Regulation (EC) No. 1272/2008 (CLP)	Not classified as dangerous for supply/use.
2.2 Label elements	According to Regulation (EC) No. 1272/2008 (CLP)
Hazard Pictogram(s)	None.
Signal Word(s)	None.
Hazard Statement(s)	None.
Precautionary Statement(s)	None.
2.3 Other hazards	None.
2.4 Additional Information	Under normal conditions of battery use, internal components will not present a health or environmental hazard. In the extreme or adverse conditions (high over-charge, reverse charge, external short circuit), some electrolyte leakage can occur by the safety vent.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

EC Classification No. 1272/2008

3.1.1 SOLO760, SOLO770, SCORP50

Hazardous Ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard symbol(s) and hazard statement(s)
Nickel dihydroxide	<30	12054-48-7	235-008-5	01-2119472435-36-0000	GHS07, Acute Tox. 4; H302, Acute Tox. 4; H332, Skin Sens. 1; H317, Skin Irrit. 2; H315, GHS08, Muta. 2; H341, Resp. Sens. 1; H334, Carc. 1A; H350i, Repr. 1B; H360D, STOT RE 1; H372, GHS09, Aquatic Acute 1; H400, Aquatic Chronic 1; H410
Potassium hydroxide	<20	1310-58-3	215-181-3	01-2119487136-33-0000	GHS05, Skin Corr. 1A; H314, GHS07, Acute Tox. 4; H302
Sodium hydroxide	<20	1310-73-2	215-185-5	01-2119457892-27-0000	GHS05, Skin Corr. 1A; H314

Ni-MH Battery Pack

3.1.2 TRUTEST

Hazardous Ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard symbol(s) and hazard statement(s)
Metal hydride alloy	15 - 40	None	None	None assigned	GHS08, Carc. 2; H351, Resp. Sens. 1; H334, GHS07, Skin Sens. 1; H317
Nickel dihydroxide	15 - 30	12054-48-7	235-008-5	01-2119472435-36-0000	GHS07, Acute Tox. 4; H302, Acute Tox. 4; H332, Skin Sens. 1; H317, Skin Irrit. 2; H315, GHS08, Muta. 2; H341, Resp. Sens. 1; H334, Carc. 1A; H350i, Repr. 1B; H360D, STOT RE 1; H372, GHS09, Aquatic Acute 1; H400, Aquatic Chronic 1; H410
Potassium hydroxide	3 - 15	1310-58-3	215-181-3	01-2119487136-33-0000	GHS05, Skin Corr. 1A; H314, GHS07, Acute Tox. 4; H302
Cobalt dihydroxide	2.5 - 7	21041-93-0	244-166-4	01-2119517583-39-0000	GHS07, Acute Tox. 4; H302, Acute Tox. 4; H332, Skin Sens. 1; H317, Eye Irrit. 2; H319, GHS08, Resp. Sens. 1, H334, GHS0, Aquatic Acute 1; H400, Aquatic Chronic 1; H410

3.2 Additional Information

For full text of H/P statements see section 16.



4.1 Description of first aid measures

Inhalation

Unlikely route of exposure.

Skin Contact

Electrolyte leakage: Remove person to fresh air and keep comfortable for breathing.

No measures required.

Eye Contact

Electrolyte leakage: Take off immediately all contaminated clothing. Rinse skin with water/shower.

Unlikely route of exposure.

Ingestion

Electrolyte leakage: Rinse cautiously with water for several minutes.

Unlikely route of exposure.

Electrolyte leakage: Make victim drink water. Do not induce vomiting. Call a POISON CENTER/doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

None anticipated.

4.3 Indication of any immediate medical attention and special treatment needed

Electrolyte leakage: Causes severe skin burns and eye damage.

Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1 Extinguishing media

Suitable Extinguishing media

Extinguish preferably with dry chemical, sand or carbon dioxide.

Unsuitable extinguishing media

Water, Water spray.

5.2 Special hazards arising from the substance or mixture

Heating may cause pressure rise with risk of bursting. Hazardous decomposition product(s): Nickel and cobalt compounds.

5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Stop leak if safe to do so.

Avoid inhalation of vapours. Avoid contact with skin and eyes. Use personal protective equipment as required.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Collect mechanically and dispose of according to Section 13.

Electrolyte leakage: Neutralize with: weak acid such as vinegar or citric acid before proper disposal. In the event of accumulated electrolyte contain and neutralize spill.

6.4 Reference to other sections

See Also Section 8.

SECTION 7: HANDLING AND STORAGE

7.1	Precautions for safe handling	Do not obstruct safety vent by soldering or welding tabs on the positive top.
7.2	Conditions for safe storage, including any incompatibilities	Store in a cool/low-temperature, well-ventilated (dry) place away from heat and ignition sources.
	Storage temperature	Ambient.
	Storage life	Stable under normal conditions.
	Incompatible materials	None known.
7.3	Specific end use(s)	Battery product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Nickel dihydroxide	12054-48-7	-	0.1	-	-	WEL, Sk
Potassium hydroxide	1310-58-3	-	-	-	2	WEL
Sodium hydroxide	1310-73-2	-	-	-	2	WEL
Cobalt dihydroxide	21041-93-0	-	0.1	-	-	WEL

WEL: Workplace Exposure Limit (UK HSE EH40)

Sk - Can be absorbed through skin.

8.1.2 Biological limit value

Not established.

8.1.3 PNECs and DNELs

Not established.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/ face protection



Not normally required.

Electrolyte leakage: Wear eye protection with side protection (EN166).

Skin protection (Hand protection/ Other)



Not normally required.

Electrolyte leakage: Wear impervious gloves (EN374).

Respiratory protection



No personal respiratory protective equipment normally required.

Electrolyte leakage: Wear suitable respiratory protective equipment.

Thermal hazards

Not applicable.

8.2.3 Environmental Exposure Controls

Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Solid.

Colour.

Not applicable.

Odour

Odourless.

Odour threshold

Not applicable.

pH

Not available.

Melting point/freezing point

199.85°C (Nickel dihydroxide).

Initial boiling point and boiling range

Not available.

Flash Point

Not applicable.

Evaporation rate

Not applicable.

Flammability (solid, gas)

Non-flammable.

Upper/lower flammability or explosive limits

Not applicable.

Vapour pressure

Not applicable.

Vapour density

Not applicable.

Relative density

3.8g/cm³ @ 21°C (Nickel dihydroxide).

Solubility(ies)

Slightly soluble in: Water (Nickel dihydroxide).

Partition coefficient: n-octanol/water

Not applicable.

Auto-ignition temperature

Not applicable.

Ni-MH Battery Pack

Decomposition Temperature	Not applicable.
Dynamic viscosity	Not applicable.
Kinematic Viscosity	Not applicable.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
9.2 Other information	None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	Keep away from heat and sources of ignition. Protect from moisture.
10.5 Incompatible materials	None known.
10.6 Hazardous decomposition product(s)	No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

This material is unlikely to present a significant health hazard under normal conditions of handling and use.

11.1 Information on toxicological effects	
11.1.1 Article	
Acute toxicity	Low acute toxicity.
Irritation	Non-irritant.
Corrosivity	Not classified.
Sensitisation	It is not a skin sensitiser.
Repeated dose toxicity	None anticipated.
Carcinogenicity	No evidence of carcinogenicity.
Mutagenicity	There is no evidence of mutagenic potential.
Toxicity for reproduction	None anticipated.
11.2 Other information	Contains: Nickel dihydroxide. Harmful if swallowed or if inhaled. Causes severe skin burns and eye damage.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Under normal conditions of battery use, internal components will not present a health or environmental hazard. Contains: Nickel dihydroxide. Very toxic to aquatic life with long lasting effects.
12.2 Persistence and degradability	Not applicable.
12.3 Bioaccumulative potential	Not applicable.
12.4 Mobility in soil	Not applicable.
12.5 Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6 Other adverse effects	None.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	Recover or recycle if possible. To be disposed of as hazardous waste. Disposal should be in accordance with local, state or national legislation.
13.2 Additional Information	Waste code (batteries and accumulators): 16 06 01, 16 06 02, 16 06 03

SECTION 14: TRANSPORT INFORMATION

14.1 UN number	UN 3496
14.2 UN proper shipping name	Batteries, Nickel-metal hydride.
14.3 Transport hazard class(es)	
ADR	Not applicable under Special Provision: 295-304, 598
IMDG	Not applicable under Special Provision: SP117 & SP963
IATA	Not applicable under Special Provision: A123
DOT	Not applicable under Special Provision: 130, 49CFR 172.102
14.4 Packing group	Not applicable.
14.5 Environmental hazards	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II of	Not applicable.

MARPOL 73/78 and the IBC Code

14.8 Additional Information

None.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation

All chemicals are not listed.

REACH: ANNEX XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

All chemicals are not listed.

REACH: ANNEX XIV List of substances subject to authorisation

All chemicals are not listed.

Community Rolling Action Plan (CoRAP)

All chemicals are not listed.

15.1.2 National regulations

None known.

15.2 Chemical Safety Assessment

Not applicable.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative
Acute Tox. 4	Acute toxicity Category 4
Skin Sens. 1	Respiratory/skin sensitization Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Irrit. 2	Skin corrosion/irritation Category 2
Eye Irrit. 2	Serious eye damage/irritation Category 2
Muta. 2	Mutagenicity Category 2
Resp. Sens. 1	Respiratory/skin sensitization Category 1
Carc. 1A	Carcinogenicity Category 1A
Carcinogen	Carcinogenicity Category 2
Repr. 1B	Reproductive toxicity Category 1B
STOT RE 1	Specific target organ toxicity — repeated exposure Category 1
Aquatic Acute 1	Hazardous to the aquatic environment Acute Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment Chronic Category 1

Hazard Statement(s)

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H351	Suspected of causing cancer.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimers

The information is based on the best knowledge of No Climb Products Ltd. and its advisors and is given in good faith, but we cannot guarantee its accuracy, reliability or completeness and therefore disclaim any liability for loss or damage arising out of use of this data. Since conditions of use are outside the control of the Company and its advisors we disclaim any liability for loss or damage when the product is used for purposes other than it is intended.