testifire® XTR2

QUICK START GUIDE

UK CA   C E

1 // *GETTING STARTED WITH DT CONNECT*

STEP 1
Visit **https://detectortesters-connect.com** to create your account.

STEP 2
Sign into the Cloud Portal to register your device. You will need to purchase a subscription to use connected services however your XTR2 comes with an extended free trial which starts from the moment you register your device. You will be informed via the portal and DT Connect app when your free trial subscription is about to expire.

STEP 3

Download the DT Connect app for your smartphone device from the App Store or Google Play Store. The following smartphones are supported:

- Apple iPhone with iOS 12 or later
- Android OS 8 or later

Get the DT Connect app

Download on the App Store

GET IT ON Google Play

For help with DT Connect, including the app, Cloud Portal and subscriptions, scan the QR code:

2// *CHARGING THE BATTERY*

The battery is charged by placing the battery pack into the charge cradle and connecting to a power source using the supplied mains adaptor.

Important: Testfire XTR2 needs to be paired to the user's smartphone via the DT Connect app before first use.

Battery LEDs

100%	50%
●●●●	●●
75%	**25%**
●●●	●

3// *INSTALLING THE GENERATOR*

Take care not to touch exposed electrical contacts when installing product components. Ensure all components are securely fitted.

- Ensure unit is switched off and open the back cover
- Insert the generator firmly, engaging clips 1 and 2

4// *INSTALLING THE SMOKE CARTRIDGE*

Slide the smoke cartridge completely into the smoke generator housing following the guide rails.

Note: Do not insert the smoke cartridge until the generator has been fully fitted.
In order to ensure maximum capacity from each new smoke cartridge, Testifire XTR2 must be paired with the DT Connect app.

5// *INSTALLING THE BATTERY*

Clip the battery into place.

USING THE CLOUD/PORTAL

The Cloud Portal can be accessed by all users with admin privileges and enables users to:

- View, download and send test reports in PDF or CSV format
- Register new devices and purchase new subscriptions
- Register new technicians or back-office staff to your company

HELP AND SUPPORT

Contact Detectortesters for help and support with Testifire XTR2 and DT Connect:

Email: detectortesters-connect@detectortesters.com

https://www.detectortesters.com/troubleshooting

EU COMPLIANCE DECLARATION

Hereby, Detectortesters (No Climb Products Ltd.) declares that the radio equipment type Testifire XTR2 Smoke & Heat detector is in compliance with Directive 2014/53/EU.

The full text of the EU declaration of conformity is available at the following internet address:

https://www.detectortesters.com/manuals

Download the full user manual by scanning the QR code.

ICONS & LED INDICATOR REFERENCE CHARTS

LCD DISPLAY ICONS

Testifire XTR2 displays the following icons on the LCD display:

BATTERY STATUS ICON

BLUETOOTH CONNECTION

CARTRIDGE STATUS ICON

SOLID ALARM DETECTION

GENERATOR STATUS ICON

BLINKING ALARM DETECTION

STATUS INDICATOR LEDS

Testifire XTR2 indicates events as follows:

WHEN IDLE

SOLID BLUE
SMOKE TEST

SOLID RED
HEAT TEST

ALTERNATE SOLID RED/BLUE
COMBINED TEST

SOLID ORANGE
DELAYED START

SOLID WHITE
CLEARING

SOLID PURPLE
SYSTEM FAULT

WHEN ACTIVE

FLASHING BLUE
SMOKE TEST ACTIVE

FLASHING RED
HEAT TEST ACTIVE

FLASHING ALT RED/BLUE
COMBINED TEST ACTIVE

FLASHING ORANGE
DELAYED START ACTIVE

FLASHING WHITE
CLEARING ACTIVE

TRIPLE FLASHING GREEN
PASSED TEST RESULT

TRIPLE FLASHING RED
FAILED TEST RESULT